

<b>Manufacturer: Templari S.p.A.</b>			
<b>Model: AIR VRF</b>			
<b>Refrigerant: R32</b>			
Equipped with a supplementary heater: no			
Heat pump combination heater: no			
Climate: average			
Item	Symbol	Value	Unit
<b>Rated heat output *</b>	Prated	<b>36.17</b>	kW
Declared capacity for part load at outdoor temperature Tj			
Tj= -7	Pdh	<b>32.00</b>	kW
Tj= +2	Pdh	<b>19.48</b>	kW
Tj= +7	Pdh	<b>15.91</b>	kW
Tj= +12	Pdh	<b>17.78</b>	kW
Tj= bivalent temperature	Pdh	<b>32.00</b>	kW
Tj= operation limit	Pdh	<b>32.00</b>	kW
Tj= -15 if TOL < -20 °C	Pdh	-	kW
Bivalent temperature	Tbiv	<b>-7</b>	°C
Power input "compressor off"		-	W
Power consumption in modes other than active mode			
Off mode	POFF	<b>24.0</b>	W
Thermostat-off mode	P <sub>TO</sub>	<b>30.7</b>	W
Standby mode	P <sub>SB</sub>	<b>24.0</b>	W
Crankcase heater mode	P <sub>CK</sub>	<b>35.0</b>	W
Other items			
Capacity control	Variable		
Sound power level, indoors/outdoors	LWA	<b>59.6 / 60.2</b>	dB
Annual energy consumption	Q <sub>HE</sub>	<b>9832</b>	kWh
<b>Seasonal space heating energy efficiency</b>			
Declared coefficient of performance for part load at outdoor temperature Tj			
Tj= -7	COPd	<b>3.20</b>	-
Tj= +2	COPd	<b>5.24</b>	-
Tj= +7	COPd	<b>6.96</b>	-
Tj= +12	COPd	<b>8.13</b>	-
Tj= bivalent temperature	COPd	<b>3.20</b>	-
Tj= operation limit	COPd	<b>2.97</b>	-
Tj= -15 if TOL < -20 °C	COPd	-	-
For air to water heat pumps: Tj = -15 °C (if TOL < -20 °C)	TOL	<b>-10</b>	°C
Heating water operating limit temperature	WTOL	-	°C
Supplementary heater			
Rated heat output*	P <sub>sup</sub>	-	W
Type of energy input	Electricity		
For air to water heat pumps:			
Rated air flow rate, outdoors	-		m <sup>3</sup> /h
For water-/brine-to-water heat pumps: Rated brine or water flow rate, outdoor heat exchanger			
-			l/h
Contact details: Templari S.p.A. Via C. Battisti 169 35031 Abano Terme (PD) - Italy			
* For heat pump space heaters and heat pump combination heaters, the rated heat output Prated is equal to the design load for heating Pdesignh, and the rated heat output of a supplementary capacity for heating sup(Tj)			